

The ideal retrofit solution for auto dealers, fleet and C-stores.

50+ cars per hour



Converting to a high-volume mini-tunnel is easy, affordable and profitable

If you've got 35 feet of bay space and an underperforming in-bay automatic, you've got what you need to make the switch to a proft-producing mini-tunnel. Ryko's SoftGloss Mini-Express puts the industry's best mini-tunnel retrofit solution into the smallest space, setting you up to triple your throughput.

IT PAYS TO CONVERT

- Easy conversion for slow-moving, in-bay automatics requires just 35 feet
- Compete with the upsurge in express tunnels in your market
- Triple your throughput to as many as 50+ cars per hour
- Pump up the profits with wheel and tire add-ons
- Cut installation costs with minimal downtime and little or no site changes
- Save even more through reduced water and chemical consumption





Longer equipment life and a gentle, superior clean




Highest conveyor speeds



Top-quality engineering and automation reduces labor and maintenance and boosts profits



Environmentally sensitive designs reduce water, chemical and electricity consumption



IT DOESN'T TAKE MUCH TO CONVERT

Give us 35 feet and we'll turn your slow, underperforming in-bay automatic into a new profit center. Here's how:





EXPRESS CONVEYOR

Simple to operate, easy to maintain and bulletproof tough, the Express Conveyor features lower clearance, a 14-inch opening, and dual call-up cylinders.



TOP-SIDE COMBO WASH
Combining top and side brushes, this dynamic duo outperforms mitters and excels in hard-to-reach, problem areas.


More cleaning power in less space with excellent wash consistency and controlled cleaning pressure. Soft foam brushes permit higher rotational speeds for the cleanest wash.



Engineered for safety and performance with complete airflow control at 165–185 mph. Aerodynamic shape and molded, stainless steel-reinforced housings make less noise.

AIRFLOW LOCKS

Prevents debris from blowing out of truck beds. Lightweight, energy-saving air valve dramatically cuts energy consumption and costs by up to 30 percent.



Boost your new profit center even further by adding three of the industry's top-performing wheel and tire cleaning and shining options.

TIRE SCRUBBER


Our patented cam-style foam brush design gets down deep to scrub rims and tires clean.

TIRE SHINER

Produces shiny tires with a patented precision chemical distribution system that reduces waste and cost.

HIGH-PRESSURE WHEEL CLEANER

High-pressure water aggressively cleans alloy rims, tires, wheels and running boards.



CORE EQUIPMENT

- Top-Side Combo Wash combines top and side brushes
- Application Arches—precise and thorough chemical application
- Fully electric, including conveyor sets the industry standard for the safest, easiest and cleanest clean
- Drying System with Airflow Locks safe, thorough and superior drying

SUPPORT EQUIPMENT

- Tunnel Controller
- Motor Control Center
- Integrated Wash Water Recycle System
- Spot-Free Water Conditioners

WHEEL AND TIRE ADD-ONS

- Tire Scrubber
- Tire Shiner
- ✓ High-Pressure Wheel Cleaner

TECHNICAL REQUIREMENTS	SoftGloss Mini-Express	With Wheel and Tire Add-Ons
Tunnel length	35' (10668 mm)	35' (10668 mm)
Tunnel width	15' (4572 mm)	15' (4572 mm)
Tunnel height	12' (3658 mm)	12' (3658 mm)
Electrical	208 V 200 AMP 460 V 100 AMP	208 V 350 AMP 460 V 150 AMP
Water	85.1GPM • 322.1L/min	105GPM • 397.5L/min
Air	8 CFM • 226.5L/min 90PSI Min-6 BAR	10 CFM • 283L/min 90PSI Min-6 BAR

Find out how easy it is to convert your underperforming in-bay automatic to a fast-moving, reliable, high-performance SoftGloss Mini-Express.



