ALL NEW SOFTGLOSS MINI-EXPRESS

The ideal retrofit solution for auto dealers, fleet and C-stores.

Converting to a high-volume mini-tunnel is easy, affordable

50- cars per hour

and profitable

If you've got 35 feet of bay space and an underperforming in-bay automatic, you've got what you need to make the switch to a proftproducing mini-tunnel. Ryko's SoftGloss Mini-Express puts the industry's best mini-tunnel retrofit solution into the smallest space, setting you up to triple your throughput.

IT PAYS TO CONVERT

- Easy conversion for slow-moving, in-bay automatics requires just 35 feet
- Compete with the upsurge in express tunnels in your market

Ryko

- Triple your throughput to as many as 50+ cars per hour
- Pump up the profits with wheel and tire add-ons
- Cut installation costs with minimal downtime and little or no site changes
- Save even more through reduced water and chemical consumption

IT DOESN'T TAKE MUCH TO CONVERT

Give us 35 feet and we'll turn your slow, underperforming in-bay automatic into a new profit center. Here's how:



EXPRESS CONVEYOR

Simple to operate, easy to maintain and bulletproof tough, the Express Conveyor features lower clearance, a 14-inch opening, and dual call-up cylinders.



TOP-SIDE COMBO WASH Combining top and side brushes, this dynamic duo outperforms mitters and excels in hard-to-reach, problem areas.

LOW-SIDE WASHER

More cleaning power in less space with excellent wash consistency and controlled cleaning pressure. Soft foam brushes permit higher rotational speeds for the cleanest wash.



Λ

DRYING SYSTEM

Engineered for safety and performance with complete airflow control at 165–185 mph. Aerodynamic shape and molded, stainless steel-reinforced housings make less noise.



AIRFLOW LOCKS

Prevents debris from blowing out of truck beds. Lightweight, energy-saving air valve dramatically cuts energy consumption and costs by up to 30 percent.

WHEEL AND TIRE ADD-ONS



Boost your new profit center even further by adding three of the industry's top-performing wheel and tire cleaning and shining options.

TIRE SCRUBBER

Our patented cam-style foam brush design gets down deep to scrub rims and tires clean.

TIRE SHINER

Produces shiny tires with a patented precision chemical distribution system that reduces waste and cost.

HIGH-PRESSURE WHEEL CLEANER

High-pressure water aggressively cleans alloy rims, tires, wheels and running boards.





Longer equipment life and a gentle, superior clean



Highest conveyor speeds



Top-quality engineering and automation reduces labor and maintenance and boosts profits



Environmentally sensitive designs reduce water, chemical and electricity consumption

Do you have 35' x 15' of available space?* Then you've got potential to triple your throughput and increase your revenue.

* Actual conveyor length will vary depending on rear-wheel push or front-wheel pull scenarios.

35'

CORE EQUIPMENT

- Top-Side Combo Wash combines top and side brushes
- Application Arches precise and thorough chemical application
- Fully electric, including conveyor sets the industry standard for the safest, easiest and cleanest clean
- Drying System with Airflow Locks safe, thorough and superior drying

SUPPORT EQUIPMENT

- Tunnel Controller
- Motor Control Center
- Integrated Wash Water Recycle System
- Spot-Free Water Conditioners

WHEEL AND TIRE ADD-ONS

- Tire ScrubberTire Shiner
- High-Pressure Wheel Cleaner

TECHNICAL REQUIREMENTS	SoftGloss Mini-Express	With Wheel and Tire Add-Ons
Tunnel length	35' (10668 mm)	35' (10668 mm)
Tunnel width	15' (4572 mm)	15' (4572 mm)
Tunnel height	12' (3658 mm)	12' (3658 mm)
Electrical	208 V 200 AMP 460 V 100 AMP	208 V 350 AMP 460 V 150 AMP
Water	85.1GPM • 322.1L/min	105GPM • 397.5L/min
Air	8 CFM • 226.5L/min 90PSI Min-6 BAR	10 CFM • 283L/min 90PSI Min-6 BAR

Find out how easy it is to convert your underperforming in-bay automatic to a fast-moving, reliable, high-performance SoftGloss Mini-Express.





Ryko Solutions, Inc. • 1500 SE 37th Street, Grimes, IA 50111 • (800) 284-7956 • www.ryko.com